Author Index Vols. 631 and 632

Abbas, A. A. and Shelly, D. C.
Axial illumination of fused-silica capillaries. Investigation of fluorescence and refractive index detection 631(1993)133

Achilli, G., Cellerino, G. P., Gamache, P. H. and Melzi d'Eril, G.V.
Identification and determination of phenolic constituents in natural beverages and plant extracts by means of a coulometric electrode array system 632(1993)111

Afeyan, N., see Varady, L. 631(1993)107

Aguilar, M. I., see Wilce, M. C. J. 632(1993)11

Akashi, M., see Baba, Y. 632(1993)137

Aoki, F., see Ôi, N. 631(1993)177

Baba, Y., Tsuhako, M., Sawa, T. and Akashi, M.
Temperature-programmed capillary affinity gel electrophoresis for the sensitive base-specific separation of oligodeoxynucleotides 632(1993)137

Bagchi, D., see Cordis, G. A. 632(1993)97

Bal, F., see Josić, D. 632(1993)1

Balmér, K., Lagerström, P.-O., Larsson, S. and Persson, B.-A.
Direct chiral separation of almokalant on Chiralcel OD and Chiralpak AD for liquid chromatographic assay of biological samples 631(1993)191

Beattie, J. H., Richards, M. P. and Self, R.
Separation of metallothionein isoforms by capillary zone electrophoresis 632(1993)127

Bell, R. G. and Newman, K. L.
Carbohydrate analysis of fermentation broth by high-performance liquid chromatography utilizing solid-phase extraction 632(1993)87

Benedek, K., see Rosenfeld, R. 632(1993)29

Berry, D. L., see Zoutendam, P. H. 631(1993)221

Bliesner, D. M. and Sentell, K. B.
Deuterium nuclear magnetic resonance spectroscopy as a probe for reversed-phase liquid chromatographic bonded phase solvation: methanol and acetonitrile mobile phase components 631(1993)23

Boppana, V. K., see Miller-Stein, C. 631(1993)233

Boppana, V. K., Miller-Stein, C. and Rhodes, G. R.
Normal-phase high-performance liquid chromatographic determination of epristeride, a prostatic steroid 5α-reductase enzyme inhibitor, in human plasma 631(1993)251

Boppana, V. K., see Simpson, R. C. 631(1993)227

Brown, B. L., see Geiser, F. O. 631(1993)1

Brown, P. R., see De Antonis, K. M. 632(1993)91

Carkuff, D. W., see Zoutendam, P. H. 631(1993)221

Carreras, D., see Imaz, C. 631(1993)201

Cellerino, G. P., see Achilli, G. 632(1993)111

Chang, H.-T. and Yeung, E. S.
Voltage programming in capillary zone electrophoresis 632(1993)149

Chlenov, M. A., Kandyba, E. I., Nagornaya, L. V., Orlova, I. L. and Volgin, Y. V.
High-performance liquid chromatography of human glycoprotein hormones 631(1993)261

Chmelík, J. and Thormann, W.
Isoelectric focusing field-flow fractionation and capillary isoelectric focusing with electroosmotic zone displacement. Two approaches to protein analysis in flowing streams 632(1993)229

Coenegracht, P. M. J., Metting, H. J., Van Loo, E. M., Snoeijer, G. J. and Doornbos, D. A.
Peak tracking with a neural network for spectral recognition 631(1993)145

Cook, S. E., see Varady, L. 631(1993)107

Cooke, N., see Guttman, A. 632(1993)171

Cordis, G. A., Maulik, N., Bagchi, D., Engelman, R. M. and Das, D. K.
Estimation of the extent of lipid peroxidation in the ischemic and reperfused heart by monitoring lipid metabolic products with the aid of high-performance liquid chromatography 632(1993)97

Cortes, R., see Imaz, C. 631(1993)201

Cserháti, T., see Forgács, E. 631(1993)207

Dadoo, R., see Tsuda, T. 632(1993)201

Das, D. K., see Cordis, G. A. 632(1993)97

Dasari, G., Prince, I. and Hearn, M. T. W.
High-performance liquid chromatography of amino acids, peptides and proteins. CXXIV. Physical characterisation of fluidized-bed behaviour of chromatographic packing materials 631(1993)115

De Antonis, K. M., Brown, P. R., Yi, Z. and Maugle, P. D.
High-performance liquid chromatography with ion pairing and electrochemical detection for the determination of the stability of two forms of vitamin C 632(1993)91

Doornbos, D. A., see Coenegracht, P. M. J. 631(1993)145

Dorsey, J. G., see Hsieh, M.-M. 631(1993)63

El Rassi, Z., see Nashabeh, W. 632(1993)157

El Rassi, Z., see Yu, J. 631(1993)91

Engelman, R. M., see Cordis, G. A. 632(1993)97

Excoffier, J.-L., Joseph, M., Robinson, J. J. and Sheehan, T. L.
Faster quantitative evaluation of high-performance liquid chromatography–ultraviolet diode-array data by multicomponent analysis 631(1993)15

Forgács, E., Valkó, K., Cserháti, T. and Magyar, K.
Porous graphitized carbon and octadecylsilica columns in the separation of some monoamine oxidase inhibitory drugs 631(1993)207

Foster, G. D., see McEachern, P. R. 632(1993)119

Fox, A. R. and McLoughlin, D. A.
Rapid, sensitive high-performance liquid chromatographic method for the quantification of promethazine in human serum with electrochemical detection 631(1993)255

Fujima, H., see Haginaka, J. 631(1993)183

Gamache, P. H., see Achilli, G. 632(1993)111

Geiser, F. O., Golt, C., Kung, Jr., L., Justice, J. D. and Brown, B. L.
Chromatographic method verification by means of three-dimensional, multivariate visualization 631(1993)1

Giese, R. W., see Saha, M. 631(1993)161
Golt, C., see Geiser, F. O. 631(1993)1
Guiochon, G., see Seidel-Morgenstern, A. 631(1993)37
Guttman, A., Nolan, J. A. and Cooke, N.
Capillary sodium dodecyl sulfate gel electrophoresis of proteins 632(1993)171
Hagen, S. R.
High-performance liquid chromatographic quantitation of phenylthiocarbamyl muramic acid and glucosamine from bacterial cell walls 632(1993)63
Haginaka, J., Murashima, T., Seyama, C., Fujima, H. and Wada, H.
Retention and enantioselective properties of racemic compounds on modified ovomucoid columns. II. Reaction with glyceraldehyde, formaldehyde and glutaric anhydride 631(1993)183
Hainari, S., see Sirén, H. 632(1993)215
Hearn, M. T. W., see Dasari, G. 631(1993)115
Hearn, M. T. W., see Wilce, M. C. J. 632(1993)11
Hermansson, I., see Hermansson, J. 631(1993)79
Hermansson, J., Hermansson, I. and Nordin, J.
Characterization of a Chiral-AGP capillary column coupled to a micro sample-enrichment system with UV and electrospray mass spectrometric detection 631(1993)79
Hsieh, M.-M. and Dorsey, J. G.
Accurate determination of log k'_w in reversed-phase liquid chromatography. Implications for quantitative structure–retention relationships 631(1993)63
Huang, C.-Y., see Wen, K.-C. 631(1993)241
Hwang, B. Y.-H., see Miller-Stein, C. 631(1993)233
Hwang, B. Y.-H., see Simpson, R. C. 631(1993)227
Ikedo, M., see Tsuda, T. 632(1993)201
Imaz, C., Carreras, D., Navajas, R., Rodriguez, C., Rodriguez, A. F., Maynar, J. and Cortes, R.
Determination of ephedrines in urine by high-performance liquid chromatography 631(1993)201
Jones, G., see Tsuda, T. 632(1993)201
Joseph, M., see Excoffier, J.-L. 631(1993)15
Josić, D., Bal, F. and Schwinn, H.
Isolation of plasma proteins from the clotting cascade by heparin affinity chromatography 632(1993)1
Justice, J. D., see Geiser, F. O. 631(1993)1
Kanazawa, H., Nagata, Y., Kurosaki, E., Matsushima, Y. and Takai, N.
Comparison of columns of chemically modified porous glass and silica in reversed-phase high-performance liquid chromatography of ginsenosides 632(1993)79
Kanazawa, H., Nagata, Y., Matsushima, Y., Takai, N., Uchiyama, H., Nishimura, R. and Takeuchi, A.
Liquid chromatography–mass spectrometry for the determination of medetomidine and other anaesthetics in plasma 631(1993)215
Kandyba, E. I., see Chlenov, M. A. 631(1993)261
Keating, K. M., Rogers, B. L., Weber, L. , Morgenstern, J. P., Klapper, D. G. and Kuo, M.
Immunoaffinity chromatography of recombinant *Amb a* I in the presence of a denaturing agent 631(1993)269
Kerns, E. H., see Liu, J. 632(1993)45
Khaledi, M. G., see Kord, A. S. 631(1993)125
Khaledi, M. G., see Smith, S. C. 632(1993)177
Khalifa, M., see Molnár-Perl, I. 632(1993)57
Kitahara, H., see Ôi, N. 631(1993)177
Klapper, D. G., see Keating, K. M. 631(1993)269
Klohr, S. E., see Liu, J. 632(1993)45
Knock, S. L., see Kurosky, A. 631(1993)281
Kord, A. S. and Khaledi, M. G.
Selectivity of organic solvents in micellar liquid chromatography of amino acids and peptides 631(1993)125
Kresin, L., see Kunitani, M. 632(1993)19
Kung, Jr., L., see Geiser, F. O. 631(1993)1
Kunitani, M. and Kresin, L.
High-performance liquid chromatographic analysis of carbohydrate mass composition in glycoproteins 632(1993)19
Kuo, M., see Keating, K. M. 631(1993)269
Kurosaki, E., see Kanazawa, H. 632(1993)79
Kurosky, A., Miller, B. T. and Knock, S. L.
Kinetic analysis of biotinylation of specific residues of peptides by high-performance liquid chromatography 631(1993)281
Lagerström, P.-O., see Balmér, K. 631(1993)191
Larsson, S., see Balmér, K. 631(1993)191
Lee, H. K., see Ng, C. L. 632(1993)165
Lee, M. S., see Liu, J. 632(1993)45
Li, S. F. Y., see Ng, C. L. 632(1993)165
Lin, J.-Y., see Yang, M.-H. 631(1993)165
Lin, L. A.
Detection of alkaloids in foods with a multi-detector high-performance liquid chromatographic system 632(1993)69
Liu, J., Volk, K. J., Kerns, E. H., Klohr, S. E., Lee, M. S. and Rosenberg, I. E.
Structural characterization of glycoprotein digests by microcolumn liquid chromatography–ionspray tandem mass spectrometry 632(1993)45
Lu, F.-L., see Wen, K.-C. 631(1993)241
Lukkari, P., see Sirén, H. 632(1993)215
Lukkari, P., Sirén, H., Pantsar, M. and Riekkola, M.-L.
Determination of ten β-blockers in urine by micellar electrokinetic capillary chromatography 632(1993)143
Magyar, K., see Forgács, E. 631(1993)207
Matsushima, Y., see Kanazawa, H. 631(1993)215
Matsushima, Y., see Kanazawa, H. 632(1993)79
Maugle, P. D., see De Antonis, K. M. 632(1993)91
Maulik, N., see Cordis, G. A. 632(1993)97
Maynar, J., see Imaz, C. 631(1993)201
McEachern, P. R. and Foster, G. D.
Supercritical fluid extraction of synthetic organochlorine compounds in submerged aquatic plants 632(1993)119
McLoughlin, D. A., see Fox, A. R. 631(1993)255
McNally, J. J., see Shaw, C. J. 631(1993)173
Melzi d'Eril, G.V., see Achilli, G. 632(1993)111
Merion, M., see Swartz, M. E. 632(1993)209
Metting, H. J., see Coenegracht, P. M. J. 631(1993)145
Miller, B. T., see Kurosky, A. 631(1993)281
Miller-Stein, C., see Boppana, V. K. 631(1993)251

Miller-Stein, C., Hwang, B. Y.-H., Rhodes, G. R. and Boppana, V. K.
Column-switching high-performance liquid chromatographic method for the determination of SK&F 106203 in human plasma after fluorescence derivatization with 9-anthryldiazomethane 631(1993)233
Molnár-Perl, I., Pintér-Szakács, M. and Khalifa, M.
High-performance liquid chromatography of tryptophan and other amino acids in hydrochloric acid hydrolysates 632(1993)57
Monkarsh, S. P., Russoman, E. A. and Roy, S. K.
Separation of interleukins by a preparative chromatofocusing-like method 631(1993)277
Morgenstern, J. P., see Keating, K. M. 631(1993)269
Mu, N., see Varady, L. 631(1993)107
Murashima, T., see Haginaka, J. 631(1993)183
Nagata, Y., see Kanazawa, H. 631(1993)215
Nagata, Y., see Kanazawa, H. 632(1993)79
Nagornaya, L. V., see Chlenov, M. A. 631(1993)261
Nashabeh, W. and El Rassi, Z.
Fundamental and practical aspects of coupled capillaries for the control of electroosmotic flow in capillary zone electrophoresis of proteins 632(1993)157
Navajas, R., see Imaz, C. 631(1993)201
Newman, K. L., see Bell, R. G. 632(1993)87
Ng, C. L., Lee, H. K. and Li, S. F. Y.
Determination of sulphonamides in pharmaceuticals by capillary electrophoresis 632(1993)165
Nishimura, R., see Kanazawa, H. 631(1993)215
Nolan, J. A., see Guttman, A. 632(1993)171
Nordin, J., see Hermansson, J. 631(1993)79
Ôi, N., Kitahara, H. and Aoki, F.
Enantiomer separation by high-performance liquid chromatography with copper(II) complexes of Schiff bases as chiral stationary phases 631(1993)177
Orlova, I. L., see Chlenov, M. A. 631(1993)261
Pantsar, M., see Lukkari, P. 632(1993)143
Park, S.A., see Shaw, C. J. 631(1993)173
Persson, B.-A., see Balmér, K. 631(1993)191
Pintér-Szakács, M., see Molnár-Perl, I. 632(1993)57
Press, J. B., see Shaw, C. J. 631(1993)173
Prince, I., see Dasari, G. 631(1993)115
Regnier, F. E., see Riggin, A. 632(1993)37
Regnier, F. E., see Varady, L. 631(1993)107
Regnier, F. E., see Yao, X.-W. 632(1993)185
Rhodes, G. R., see Boppana, V. K. 631(1993)251
Rhodes, G. R., see Miller-Stein, C. 631(1993)233
Rhodes, G. R., see Simpson, R. C. 631(1993)227
Richards, M. P., see Beattie, J. H. 632(1993)127
Riekkola, M.-L., see Lukkari, P. 632(1993)143
Riekkola, M.-L., see Sirén, H. 632(1993)215
Riggin, A., Sportsman, J. R. and Regnier, F. E.
Immunochromatographic analysis of proteins. Identification, characterization and purity determination 632(1993)37
Robinson, J. J., see Excoffier, J.-L. 631(1993)15
Rodriguez, A. F., see Imaz, C. 631(1993)201
Rodriguez, C., see Imaz, C. 631(1993)201
Rogers, B. L., see Keating, K. M. 631(1993)269
Rosenberg, I. E., see Liu, J. 632(1993)45
Rosenfeld, R. and Benedek, K.
Conformational changes of brain-derived neurotrophic factor during reversed-phase high-performance liquid chromatography 632(1993)29
Roy, S. K., see Monkarsh, S. P. 631(1993)277
Russoman, E. A., see Monkarsh, S. P. 631(1993)277
Saarinen, M., see Sirén, H. 632(1993)215
Saha, M. and Giese, R. W.
Primary contribution of the injector to carryover of a trace analyte in high-performance liquid chromatography 631(1993)161
Sanfilippo, P. J., see Shaw, C. J. 631(1993)173
Sawa, T., see Baba, Y. 632(1993)137
Schwinn, H., see Josić, D. 632(1993)1
Seidel-Morgenstern, A. and Guiochon, G.
Thermodynamics of the adsorption of Tröger's base enantiomers from ethanol on cellulose triacetate 631(1993)37
Self, R., see Beattie, J. H. 632(1993)127
Sentell, K. B., see Bliesner, D. M. 631(1993)23
Seyama, C., see Haginaka, J. 631(1993)183
Shaw, C. J., Sanfilippo, P. J., McNally, J. J., Park, S.A. and Press, J. B.
Analytical and preparative high-performance liquid chromatographic separaton of thienopyran enantiomers 631(1993)173
Sheehan, T. L., see Excoffier, J.-L. 631(1993)15
Shelly, D. C., see Abbas, A. A. 631(1993)133
Simpson, R. C., Boppana, V. K., Hwang, B. Y.-H. and Rhodes, G. R.
Determination of oxiracetam in human plasma by reversed-phase high-performance liquid chromatography with fluorimetric detection 631(1993)227
Sirén, H., see Lukkari, P. 632(1993)143
Sirén, H., Saarinen, M., Hainari, S., Lukkari, P. and Riekkola, M.-L.
Screening of β-blockers in human serum by ion-pair chromatography and their identification as methyl or acetyl derivatives by gas chromatography–mass spectrometry 632(1993)215
Slégel, P., see Valkó, K. 631(1993)49
Smith, S. C. and Khaledi, M. G.
Prediction of the migration behavior of organic acids in micellar electrokinetic chromatography 632(1993)177
Snoeijer, G. J., see Coenegracht, P. M. J. 631(1993)145
Sportsman, J. R., see Riggin, A. 632(1993)37
Stefansson, M. and Westerlund, D.
Capillary electrophoresis of glycoconjugates in alkaline media 632(1993)195
Suortti, T.
Size-exclusion chromatographic determination of β-glucan with postcolumn reaction detection 632(1993)105
Swartz, M. E. and Merion, M.
On-line sample preconcentration on a packed-inlet capillary for improving the sensitivity of capillary electrophoretic analysis of pharmaceuticals 632(1993)209
Takai, N., see Kanazawa, H. 631(1993)215

Takai, N., see Kanazawa, H. 632(1993)79
Takeuchi, A., see Kanazawa, H. 631(1993)215
Thormann, W., see Chmelík, J. 632(1993)229
Tsuda, T., Ikedo, M., Jones, G., Dadoo, R. and Zare, R. N.
Observation of flow profiles in electroosmosis in a rectangular capillary 632(1993)201
Tsuhako, M., see Baba, Y. 632(1993)137
Turujman, S. A.
Rapid direct resolution of the stereoisomers of all-*trans* astaxanthin on a Pirkle covalent L-leucine column 631(1993)197
Uchiyama, H., see Kanazawa, H. 631(1993)215
Valkó, K., see Forgács, E. 631(1993)207
Valkó, K. and Slégel, P.
New chromatographic hydrophobicity index (φ_0) based on the slope and the intercept of the log *k' versus* organic phase concentration plot 631(1993)49
Van Loo, E. M., see Coenegracht, P. M. J. 631(1993)145
Varady, L., Mu, N., Yang, Y.-B., Cook, S. E., Afeyan, N. and Regnier, F. E.
Fimbriated stationary phases for proteins 631(1993)107
Volgin, Y. V., see Chlenov, M. A. 631(1993)261
Volk, K. J., see Liu, J. 632(1993)45
Wada, H., see Haginaka, J. 631(1993)183
Weber, L. , see Keating, K. M. 631(1993)269
Wen, K.-C., Huang, C.-Y. and Lu, F.-L.
Determination of baicalin and puerarin in traditional Chinese medicinal preparations by high-performance liquid chromatography 631(1993)241
Westerlund, D., see Stefansson, M. 632(1993)195
Wilce, M. C. J., Aguilar, M. I. and Hearn, M. T. W.
High-performance liquid chromatography of amino acids, peptides and proteins. CXXII. Application of experimentally derived retention coefficients to the prediction of peptide retention times: studies with myohemerythrin 632(1993)11
Yang, M.-H. and Lin, J.-Y.
N-Arylcarbamoyl derivatives of amino acids as chiral stationary phases for optical resolution by high-performance liquid chromatography 631(1993)165
Yang, Y.-B., see Varady, L. 631(1993)107
Yao, X.-W. and Regnier, F. E.
Polymer- and surfactant-coated capillaries for isoelectric focusing 632(1993)185
Yeung, E. S., see Chang, H.-T. 632(1993)149
Yi, Z., see De Antonis, K. M. 632(1993)91
Yu, J. and El Rassi, Z.
Reversed-phase liquid chromatography with microspherical octadecyl-zirconia bonded stationary phases 631(1993)91
Zare, R. N., see Tsuda, T. 632(1993)201
Zoutendam, P. H., Berry, D. L. and Carkuff, D. W.
Reversed-phase high-performance liquid chromatographic of the cardiac glycoside LNF-209 with refractive index detection 631(1993)221